



SHANDONG SUPER WINDOW HOUSE CO.,LTD



Vinyl Window&Door

Aluminum Window&Door

Add:Jiaozhou District, Qingdao City ,
Shandong Province , China

Website: www.superwindowhouse.com

COMPANY PROFILE

Shandong Super Window House Co., Ltd. is located in Qingdao, the largest American Standard Aluminum Windows & doors, Vinyl Windows & Doors production enterprise in Northern China, built in 2012 and exporting since 2014.

We specialize in wholesale, construction, and retail windows and doors. Service range covers from Design, sample submission, test, fabrication, to technology consult.

Our factory covers an area of 172,000 square feet, six production lines of Aluminum Windows and doors, and four production lines of Vinyl Windows and doors. 20*40HQ container windows and doors could be shipped per month, and produce 1,614,000 to 2,152,000 square feet every year.



VINYL SINGLE HUNG WINDOW



MATERIAL	Vinyl/PVC/UPVC
FRAME DEPTH DETAILS	64mm(2.52in)/70mm(2.75in)/62mm(2.44in)/82mm(3.23in-)/87mm(3.42in)
FIN	Block Frame/Nail Fin/ Flange/ J channel/ Flush Fin
HARDWARE	crescent locks; child safety locks/WOCD lock customers' stipulated brands are available.
GLASS TYPE	3mm+6A/AR+3mm double tempered Low-e/clear glass; 3mm+12A/AR+3mm double tempered Low-e/clear glass 4mm+9A/AR+4mm double tempered Low-e/clear glass 5mm+6A/AR+5mm double tempered Low-e/clear glass Laminated Glass; Reflective Glass; Grids Design
U VALUE	0.23-0.46
PROFILE COLOR	White,Black,Outside black inside white etc common colors Our standard color is white , others color available upon request
FLY SCREEN	Fiberglass,Stainless steel mesh or depending on your needs Removable Screens
SIZE	Customized
SAMPLE LEAD TIME	1- 2weeks

VINYL SINGLE HUNG WINDOW WITH TILT



MATERIAL	Vinyl/PVC/UPVC
FRAME DEPTH	62mm(2.44in)/ 82mm(3.23in)/78mm(3.07in)/105mm(4.13in)
FIN	Block Frame/Nail Fin/ Flange/ J channel
HARDWARE	Crescent Locks; Tilt Latch; Child safety lock/ WOCD lock Customers' stipulated brands are available.
GLASS TYPE	3mm+12A/AR+3mm double tempered Low-e/clear glass 4mm+9A/AR+4mm double tempered Low-e/clear glass 5mm+6A/AR+5mm double tempered Low-e/clear glass Laminated Glass; Reflective Glass; Grids Design
U VALUE	0.23-0.46
PROFILE COLOR	White,Black,Outside black inside white etc common colors Our standard color is white , others color available upon request
FLY SCREEN	Fiberglass,Stainless steel mesh or depending on your needs Removable Screen
SIZE	Customized
SAMPLE LEAD TIME	1- 2weeks



VINYL DOUBLE HUNG WINDOW



MATERIAL	Vinyl/PVC/UPVC
FRAME DEPTH	78mm(3.07in)/82mm(3.23in)/105mm(4.13in)
FIN	Block Frame/Flush Fin/Nail Fin/ Flange/ J channel
HARDWARE	Crescent Locks; Tilt Latch; Child safety lock/ WOCD lock Customers' stipulated brands are available.
GLASS TYPE	3mm+6A/AR+3mm double tempered Low-e/clear glass; 3mm+15A/AR+3mm double tempered Low-e/clear glass 4mm+15A/AR+4mm double tempered Low-e/clear glass 5mm+12A/AR+5mm double tempered Low-e/clear glass
U VALUE	0.23-0.46
PROFILE COLOR	White,Black,Outside black inside white etc common colors Our standard color is white , others color available upon request
FLY SCREEN	Fiberglass,Stainless steel mesh or depending on your needs vertical sliding,full screen.etc
SIZE	Customized
SAMPLE LEAD TIME	1- 2weeks

VINYL SLIDING WINDOW



MATERIAL	Vinyl/PVC/UPVC
FRAME DEPTH DETAILS	64mm(2.52in)/70mm(2.76in)/82mm(3.23in)/87mm(3.43in)/90mm(3.54in)
FIN	Block Frame/Flush Fin/Nail Fin/ Flange/ J channel
HARDWARE	Crescent Locks Customers' stipulated brands are available.
GLASS TYPE	3mm+12/15A/AR+3mm double tempered Low-e/clear glass 4mm+15air/argon+4mm double tempered Low-e/clear glass 5mm+12air/argon+5mm double tempered Low-e/clear glass Laminated Glass; Reflective Glass; Grids Design
U VALUE	0.23-0.46
PROFILE COLOR	White,Black,Outside black inside white etc common colors Our standard color is white , others color available upon request
FLY SCREEN	Fiberglass,Stainless steel mesh or depending on your needs Removable/Sliding screen
SIZE	Customized
SAMPLE LEAD TIME	1- 2weeks



VINYL CRANK WINDOW



MATERIAL	Vinyl/PVC/UPVC
FRAME DEPTH DETAILS	60mm(2.36in)/72mm(2.83in)/83mm(3.27in)
FIN	Block Frame/Nail Fin
HARDWARE	Chain Winder; Multi-points locks; Limit Spots/WOCD Customers' stipulated brands are available.
GLASS TYPE	3mm+9/12A/AR+3mm double tempered Low-e/clear glass 4mm+6/9/12A/AR+4mm double tempered Low-e/clear glass 5mm+6/9/12A/AR+5mm double tempered Low-e/clear glass Laminated Glass; Reflective Glass; Grids Design
U VALUE	0.22-0.46
PROFILE COLOR	White,Black,Outside black inside white etc common colors Our standard color is white , others color available upon request
FLY SCREEN	Fiberglass,Stainless steel mesh or depending on your needs Removable/Invisible Screen
SIZE	Customized
SAMPLE LEAD TIME	1- 2weeks



VINYL PATIO SLIDING DOOR



MATERIAL	Vinyl/PVC/UPVC
FRAME DEPTH	105mm(4.13in)/130mm(5.12in)/142mm(5.59in)
FIN	Block Frame/Nail Fin
HARDWARE	American Standard Handle Lock Customers' stipulated brands are available.
GLASS TYPE	5mm+12/16A/AR+5mm double tempered Low-e/clear glass Laminated Glass; Reflective Glass; Grids Design
U VALUE	0.23-0.46
PROFILE COLOR	White,Black,Outside black inside white etc common colors Our standard color is white , others color available upon request
FLY SCREEN	Fiberglass,Stainless steel mesh or depending on your needs Sliding Screen
SIZE	Customized
SAMPLE LEAD TIME	1- 2weeks



ALUMINUM SINGLE HUNG WINDOW



MATERIAL	Thermal Break Aluminum Profile
FRAME DEPTH DETAILS	70mm(2.76in)/ 83mm(3.27in)
FIN	Block Frame/Nail Fin
HARDWARE	Crescent Locks; Tilt Latch Customers' stipulated brands are available.
GLASS	3mm+9/12/15A/AR+3mm tempered low-e/clear glass; 4mm+9/12A/AR+4mm tempered low-e/clear glass; 5mm+12A/AR+5mm tempered low-e/clear glass; 5mm+9A/AR+5mm tempered low-e/clear glass Laminated Glass; Reflective Glass; Grids Design
U VALUE	0.23-0.46
PROFILE COLOR	White,Black,Grey etc common colors Our standard color is white , others color available upon request
FLY SCREEN	Fiberglass,Stainless steel mesh or depending on your needs Removable Screen
SIZE	Customized
SAMPLE LEAD TIME	1- 2weeks



ALUMINUM DOUBLE HUNG WINDOW



MATERIAL	Thermal Break Aluminum
FRAME DEPTH	83mm(3.26in)
FIN	Block Frame/Nail Fin
HARDWARE	Crescent Locks;Tilt Latch Customers' stipulated brands are available.
GLASS TYPE	3mm+15A/AR+3mm tempered low-e/clear glass; 4mm+12A/AR+4mm tempered low-e/clear glass; 5mm+12A/AR+5mm tempered low-e/clear glass; 5mm+9A/AR+5mm tempered low-e/clear glass Laminated Glass; Reflective Glass; Grids Design
U VALUE	0.23-0.46
PROFILE COLOR	White,Black,Grey etc common colors Our standard color is white , others color available upon request
FLY SCREEN	Fiberglass,Stainless steel mesh or depending on your needs vertical sliding,full screen.etc
SIZE	Customized
	1- 2weeks



ALUMINUM CRANK WINDOW



MATERIAL	Thermal Break Aluminum Profile
FRAME DEPTH	50mm(2.17in)/ 60mm(2.36in)/ 65mm(2.56in)/85mm(3.34in)
FIN	Block Frame/Nail Fin
HARDWARE	Chain Winder, Multi-point Handle Lock Customers' stipulated brands are available.
GLASS TYPE	3mm+12A/AR+3mm double tempered Low-e/clear glass 4mm+9A/AR+4mm double tempered low-e/clear glass 5mm+9A/AR+5mm double tempered low-e/clear glass Laminated Glass; Reflective Glass; Grids Design
U VALUE	0.23-0.46
PROFILE COLOR	White,Black,Grey etc common colors Our standard color is white , others color available upon request
FLY SCREEN	Fiberglass,Stainless steel mesh or depending on your needs Removable/InvisibleScreen
SIZE	Customized
SAMPLE LEAD TIME	1- 2weeks

ALUMINUM SLIDING WINDOW



MATERIAL	Thermal Break Aluminum Profile
FRAME DEPTH	80mm(3.15in)/110mm(4.33in)
FIN	Block Fram/Nail Fin
HARDWARE	Crescent Locks; Hook Lock;Handle Lock Brand: Kinlong,ROTO, German Brand and Top China Brand Customers' stipulated brands are available.
GLASS	3mm+9/12/15A/AR+3mm tempered low-e/clear glass; 4mm+9/12A/AR+4mm tempered low-e/clear glass; 5mm+9/12A/AR+5mm tempered low-e/clear glass; Laminated Glass; Reflective Glass; Grids Design
U VALUE	0.23-0.46
PROFILE COLOR	White,Black,Grey etc common colors Our standard color is white , others color available upon request
FLY SCREEN	Fiberglass,Stainless steel mesh or depending on your needs Sliding Screen
SIZE	Customized
SAMPLE LEAD TIME	1- 2weeks

ALUMINUM SLIDING DOOR



MATERIAL	Thermal Break Aluminum
FRAME DEPTH	80mm(3.15in)/120mm(4.72in)/135mm(5.31in)/146mm(5.75in)
HARDWARE	Handle lock; U shaped Locks etc Brand: Kinlong; ROTO; German Brand and Top China brand etc
GLASS TYPE	5mm+12A/AR+5mm double tempered Low-e/clear glass 6mm+12A/AR+6mm double tempered Low-e/clear glass 8mm+12A/AR+8mm double tempered Low-e/clear glass 10mm+12A/AR+10mm double tempered Low-e/clear glass Laminated Glass; Reflective Glass; Grids Design
U VALUE	0.23-0.35
PROFILE COLOR	White,Black etc common colors Our standard color is white , others color available upon request
FLY SCREEN	Fiberglass,Stainless steel mesh or depending on your needs
SIZE	Customized
SAMPLE LEAD TIME	1- 2weeks

ALUMINUM PREHUNG COMMERCIAL DOOR



MATERIAL	Thermal Break Aluminum
FRAME DEPTH	65mm(5.56in)/100mm(3.94in)
HARDWARE	Handle Locks; U shaped Locks; Door Closer Brand: Kinlong,ROTO, German Brand and Top China Brand
GLASS TYPE	4mm+15A/AR+4mm double tempered Low-e/clear glass 5mm+12A/AR+5mm double tempered Low-e/clear glass Laminated Glass; Reflective Glass; Tinted Glass
U VALUE	0.23-0.35
PROFILE COLOR	White,Black etc common colors Our standard color is white , others color available upon request
SIZE	Customized

ALUMINUM FOLDING DOOR



MATERIAL	Thermal Break Aluminum
FRAME DEPTH	68mm(2.68in)/73mm(2.87in)/80mm(3.15in)
HARDWARE	Handle Locks; Brand: Top China Brand; Kinlong; ROTO; German Brand Customers' stipulated brands are available.
GLASS TYPE	4mm+15A/AR+4mm double tempered Low-e/clear glass 5mm+12A/AR+5mm double tempered Low-e/clear glass Laminated Glass; Reflective Glass;Tinted Glass
U VALUE	0.23-0.35
PROFILE COLOR	White,Black etc common colors Our standard color is white , others color available upon request
SIZE	Customized

FIBERGLASS DOORS/STEEL DOOR



MATERIAL	Steel/Fiberglass Door
FRAME DEPTH	6 Panel/8 Panel/Flush etc
FRAME MATERIAL	Primed Wood
HARDWARE	Hinges,Sill, Frame, Door slab,stainless steel hinges,Black sealing strips, Wiper Blades
U VALUE	0.28
COLOR	Oak Wood-Grain / Mahogany Wood Grain Design /Smooth
	White/Black/Brown , can be painted or stained
SIZE	36*80/36*96/(12+36+12)*80/(14+36+14)*80/(12+36+12)*96(14+82)/(14+36+14)*96(14+82)



FRAME OPTION



Flush Fin



J channel



Block Frame






Nail Fin




Aluminum Nail Fin

GLASS TYPES



PACKING AND SHIPMENT



WINDOW CERTIFICATE:

NFRC Product Certificate of Authorization

Manufacturer: SHANGHAI SUPER WINDOW HOUSE CO., LTD
Street: Wu Ji Country
City/State/City: Qingdao, Shandong 266000

Product Series: Single Window
Product Type: VSBH

Manufacturer Label: SA II
Test Lab: ISI
Test Report #: N2790.134-16-41-R0
Test Report #: N2797.01-11-41-42
Test Date: 12/25/2015
Test Date: 12/25/2015
Test Method: NFRC 102
Procedural Year: 2015
Procedural Year: 2015

Initial Certification Date: 07/15/2014
Re-Certification Date:
Expiration Date: 07/15/2016

CPD Product Line Number: SA1441-1
Product Number Range: 16001-22311 to 16010-22321

Comments:
 N/A

Authorized Signatures:

CSA GROUP

Certificate of Compliance

Customer: SHANGHAI SUPER WINDOW HOUSE CO., LTD
Project: N2797.01-11-41-42
Product: Single Window
Material: VSBH
Manufacturer Label: SA II
Test Report #: N2797.01-11-41-42
Test Date: 12/25/2015

The products listed below are eligible to bear the CSA Mark when with adjacent indicators 'C' and 'US' for Canada and 'US' with adjacent indicator 'US' for US only or without other indicator for Canada only.

CSA GROUP

PROBES:
 (See CSO 0108 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0109 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0110 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0111 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0112 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0113 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0114 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0115 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0116 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0117 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0118 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0119 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0120 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0121 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0122 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0123 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0124 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0125 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0126 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0127 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0128 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0129 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0130 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0131 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0132 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0133 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0134 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0135 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0136 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0137 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0138 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0139 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0140 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0141 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0142 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0143 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0144 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0145 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0146 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0147 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0148 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0149 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0150 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0151 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0152 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0153 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0154 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0155 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0156 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0157 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0158 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0159 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0160 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0161 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0162 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0163 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0164 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0165 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0166 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0167 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0168 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0169 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0170 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0171 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0172 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0173 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0174 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0175 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0176 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0177 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0178 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0179 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0180 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0181 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0182 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0183 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0184 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0185 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0186 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0187 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0188 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0189 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0190 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0191 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0192 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0193 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0194 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0195 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0196 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0197 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0198 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0199 COMPLIANCE AND LABELING - Under Approval Noted)
 (See CSO 0200 COMPLIANCE AND LABELING - Under Approval Noted)

Certificate of Conformity

Certificate Number: YG020122000C

Name and address of certificate holder: SHANGHAI SUPER WINDOW HOUSE CO., LTD
 266000 Qingdao, Shandong Province, China

Name and address of manufacturer: SHANGHAI SUPER WINDOW HOUSE CO., LTD
 266000 Qingdao, Shandong Province, China

Product name: Single Window
Product type: VSBH

The certificate holder hereby certifies that the product meets the requirements of the following standards and/or specifications, as applicable, for the purpose of certification of conformity to the following standards and/or specifications:

Standard: GB 19083-2010
Standard: GB 19083-2010
Standard: GB 19083-2010

The certificate holder hereby certifies that the product meets the requirements of the following standards and/or specifications, as applicable, for the purpose of certification of conformity to the following standards and/or specifications:

Standard: GB 19083-2010
Standard: GB 19083-2010
Standard: GB 19083-2010

CE

Shanghai Super Window Technology Service Co., Ltd
 Room 1002, Ocean International Building, 110 Zhongyuan Road, Qingdao, China
 TEL: 86-532-8201-0000 FAX: 86-532-8201-0001

GLASS CERTIFICATE:

IGCC **IGMA** **ANSI**

ACKNOWLEDGEMENT OF CERTIFICATION

THIS IS TO ACKNOWLEDGE THAT AS OF THIS DATE
Shandong Yaohua Glass Co., Ltd.
Jinan, Shandong

IS A CURRENT LICENSEE AND HAS MET ALL QUALIFIER AND REQUIREMENTS FOR THE IGCC/IGMA CERTIFICATION PROGRAM AND AS SUCH IS ELIGIBLE TO LABEL THE BELOW INDICATED PRODUCT(S) AS IGCC/IGMA CERTIFIED. THE FOLLOWING ARE IN COMPLIANCE WITH ASTM E136 FOR SEAL DURABILITY OF INSULATING GLASS UNITS AND PASSING GAS CONTENT INITIAL AND AFTER WEATHERING (IGCC) CERTIFICATION REQUIREMENTS AS INDICATED.

CERT. #	GLASS	SPACER	FRAME/CONSLT.	DESICCANT	SEALANT	IGCC	IG
4539	LWC2	AA	BCA/SGLC	LF	PB/S2	No	
3967	LWC2U	RT/RT/RT	BCA	ISNB	RT/RS2	Yes	

THIS IGCC/IGMA PROGRAM CERTIFICATION IS CURRENT AND IN FULL EFFECT AS OF THIS ISSUE DATE. CERTIFICATION IN THE IGCC/IGMA PROGRAM IS SUBJECT TO SEMI-ANNUAL RE-EVALUATION. PLEASE CHECK THE CURRENT CERTIFIED PRODUCTS DIRECTORY OR THIS OFFICE FOR MOST CURRENT INFORMATION.

Monday, March 4, 2014 February 1, 2014 - January 31, 2015
 DATE OF ISSUE CERTIFICATION PERIOD

Administrative Manager

SBC **ANSI**

ACKNOWLEDGEMENT OF CERTIFICATION

THIS IS TO ACKNOWLEDGE THAT AS OF THIS DATE
Shandong Yaohua Glass Co., Ltd.
Jinan, Shandong

IS A CURRENT LICENSEE AND HAS MET ALL QUALIFIER AND REQUIREMENTS FOR THE SBC CERTIFICATION PROGRAM AND AS SUCH IS ELIGIBLE TO LABEL THE BELOW INDICATED PRODUCT(S) AS SBC CERTIFIED. THE FOLLOWING ARE IN COMPLIANCE WITH ASTM E136 FOR SEAL DURABILITY OF INSULATING GLASS UNITS AND PASSING GAS CONTENT INITIAL AND AFTER WEATHERING (SBC) CERTIFICATION REQUIREMENTS AS INDICATED.

SBC#	WM	Frame/Conslt.	Sealant	Desiccant	IGCC	IG
023	001	A	LF	ISNB	No	
023	14	A	LF	ISNB	No	
023	08	A	LF	ISNB	No	
023	12	A	LF	ISNB	No	
023	09	A	LF	ISNB	No	
023	14	A	LF	ISNB	No	

THIS SBC PROGRAM CERTIFICATION IS CURRENT AND IN FULL EFFECT AS OF THIS ISSUE DATE. CERTIFICATION IN THE SBC PROGRAM IS SUBJECT TO SEMI-ANNUAL RE-EVALUATION. PLEASE CHECK THE CURRENT CERTIFIED PRODUCTS DIRECTORY OR THIS OFFICE FOR MOST CURRENT INFORMATION.

Monday, March 4, 2014 February 1, 2014 - January 31, 2015
 DATE OF ISSUE CERTIFICATION PERIOD

Administrative Manager

PROJECT IN USA



10 YEARS WARRANTY TIME

After the installation and use of doors and Windows products, during the normal use of the installation, non-human factors caused by wear, rust, damage, etc., can be addressed after the sale.



Whatsapp



Wechat

Contact Person: Bruce Lee

Phone Number:+86-15069151012

E-mail: bruce@superwindowhouse.com

Website:<http://www.superwindowhouse.com>

ADD:Jiaozhou District, Qingdao City , Shandong Province , China